

Wide Product Range

Decide with
Confidence

PRODUCT CATALOG

2026



Always building longterm co-operations

www.seametaltd.com

We are committed to provide QRS: Quality, Reliability and Service

Quality : To provide the most suitable steel for fabrication

Reliability : On time delivery, traceability

Services : Available and reachable all the time

Seametal's team always considers its business partners first and therefore embraces a vision for sustainable relationships. We are proud to add value on our partnerships via our global network in Europe, Middle East, South America, North America, Africa and Asia.

With our 20 years of experience, we offer the most optimum solutions for our partners in a reliable and transparent fashion driven by result orientation.

About Us

Founded in 2004, Seametal is among the top steel manufacturing and trading companies in Turkey.

Seametal provides a wide range of products which match the requirements of manufacturers, distributors, EPC companies and construction companies worldwide. These cargos are delivered by means of railways, air cargo, container and bulk vessels.

Our tireless ambition towards continuous improvement was awarded by IMMIB as Top 10 Exporters of Merchant Bars in 2010, followed by ISO9001:2008 and ISO14001:2015 certifications in 2011 and 2018 respectively. Our efforts to improve our qualifications will always continue.

Our goal is to establish long-term seamless integration with our business partners in order to continuously improve our service




Discover the strength and versatility of our steel solutions

Our Products



Structural Beams & Profiles



Merchant Bars



Billets & Slabs



Rebars & Wire Rods




Wires



Wire Mesh



Flat Products



Cold Drawn Bars



Pipes & Tubing



Solar Energy & Solar Mounting Systems



Transmission Tower Projects



Mining and Tunnelling Profiles

Structural Beams & Profiles



W BEAM

Beams

W6X4" UP TO W14X16"

ASTM A6/ A 6M - 07 // A6/ A 6M - 07



HEA / HEB

Beams

100 MM UP TO 400 MM

EURONORM 53-62 // EN 10034
ASTM A6 /A6M-07




IPN

Beams

80 MM UP TO 600 MM

DIN 10025 // EN 10024



IPE/IPEA/IPEAA/IPEAAA

Beams

80 MM UP TO 600 MM

Mill Standart // EN 10034



UPN

Beams

65 MM UP TO 400 MM

DIN 1026-1 // EN 10279



UB

Channels

UB 178X102X19 UP TO UB 457X280X261

EN 10365 // EN 10034



UC

Channels

UC 152X152X23 UP TO UC 305X305X313

EN 10365 // EN 10279



PFC

Channels

PFC 100X5010 UP TO PFC 300X100

BS 4-1 // EN 10279



AMERICAN C CHANNELS

Channels

C 3X4.1 UP TO C 10 X 15.3

ASTM A6 / A 6M

Merchant Bars



EQUAL ANGLES

Merchant Bars

18X18 MM UP TO 200X200 MM

EN 10056-1/ASTM A6-A 6M // EN 10056-2



FLAT BARS

Merchant Bars

10 MM UP TO 250 MM

EN 10058 / DIN 59200 ASTM A6/A 6M



SQUARE BARS

Merchant Bars

6X6 MM UP TO 80X80 MM

DIN 1014-1 ASTM A6 /A 6M - EN 10059



ROUND BARS

Merchant Bars

80 MM UP TO 600 MM

Mill Standart // EN 10034




T BARS

Merchant Bars

65 MM UP TO 400 MM

DIN 1026-1 // EN 10279




HEXAGON BAR

Merchant Bars

16 MM UP TO 40 MM

EN 10365 // EN 10034



HAMMERED FLAT BARS

Merchant Bars

12X6 MM UP TO 40X10 MM

DIN 1026-1 // EN 10279



HAMMERED SQUARE BARS

Merchant Bars

10X10 MM UP TO 20X20 MM

DIN 1026-1 // EN 10279

Billets & Slab




BILLET

Billets&Slab

125X125 MM UP TO 200X200 MM

DIN / EN / ASTM



SLAB

Billets&Slab

THICKNESS 200-250 MM WIDTH 700-2100 MM

ASTMA615M // BS4449

Rebars & Wire Rods



REBARS

Rebars & Wire Rods

8 MM UP TO 40 MM

In bundles or once folded



WIRE RODS

Rebas & Wire Rods

5,5 MM UP TO 26 MM

In coils between 1500-2000 kgs

Wires



HD GALVANIZED WIRES

Wires

0,80 - 10,00 MM

Zinc coating 40-320 g/m²
Tensile Strength 400 – 1800 N/mm²




BLACK ANNEALED WIRES

Wires

0,80 - 10,00 MM

Tensile Strength Max. 450 N/mm²

Wire Mesh




Q TYPE WIRE MESH

Wire Mesh

Q106/106 UP TO Q1131/1131

ASTM, DIN, BS, SS2, NF, ELOT, E450,
NBR, UNIT, PN-ISO



R TYPE WIRE MESH

Wire Mesh

R 106 UP TO R 866

ASTM, DIN, BS, SS2, NF, ELOT, E450,
NBR, UNIT, PN-ISO

Flat Products




HOT ROLLED COIL (HRC)

Flat Products

1,10 MM UP TO 25,4 MM

Width 700-2100 mm / Coil ID 762 mm
Coil weight 10-40 mt



HOT ROLLED PLATES

Flat Products

25 MM UP TO 200 MM

S355-NM500-AH36-A283-S275JR



HR CHEQUERED PLATES

Flat Products

1,40 MM UP TO 16 MM

Width max 2000 mm / Pattern
Diamond & Teardrop



COLD ROLLED COIL (CRC)

Flat Products

0,20 MM UP TO 3,00 MM

Width 800-1550 mm / Coil ID 508-610 mm Coil
weight max 25 mt



GALVANIZED COILS (GI)

Flat Products

0,20 MM UP TO 3,00 MM

Width 800-1550 mm / Coil ID 508-610 mm Coil
weight max 25mt / Zinc 50 – 600 g/m2



PREPAINTED COIL (PPGI)

Flat Products

0,25 MM UP TO 1,50 MM

Width 800-1300 mm / Coil ID 508 mm Coil
weight max 11 / Zinc 60 –275 g/m2



PREPAINTED (PPGI) SHEETS

Flat Products

0,25 MM UP TO 1,50 MM

Width 800-1300mm / Bundle weight
Max 11 mt




CORRUGATED STEEL SHEETS

Rollformed PPGI and GI

0,25 MM UP TO 0,80 MM

Max 875mm width / 6000 mm length



TRAPEZODIAL STEEL SHEETS

Rollformed PPGI and GI

0,25 MM UP TO 1,20 MM

Width 860 and 1060mm / Length
500-14000mm

Cold Drawn Bars




ROUND BARS

Cold Drawn Bars

0,1 MM UP TO 300 MM

ASTM (1005-1022) / DIN (ck10-40Mn4) / BS(040A04-080M50)

please ask for availability of different quality and sizes.



FLAT BARS / SQUARE BARS

Cold Drawn Bars

**12X3 MM UP TO 80X30 MM
6X6 MM UP TO 30X30 MM**

SAE 1008, SAE 1018, SAE 1020, SAE 1030, SAE 1040, S235JR, S275JR, S355JR



HEXAGON BARS

Cold Drawn Bars

16 MM UP TO 40 MM

SAE 1008, SAE 1018, SAE 1020, SAE 1030, SAE 1040, S235JR, S275JR, S355JR

Pipes & Tubings



SQUARE HOLLOW SECTION

Pipes & Tubings

1,5MMX20X20 UP TO 18MMX500X500

EN 10219 & ASTM A500




RECTANGULAR HOLLOW SECTION

Pipes & Tubings

1,5MMX30X20 UP TO 18MMX500X450

BS 4-1 // EN 10279



WATER AND GAS PIPES

Pipe & Tubings

**17,2 MM UP TO 339,7 MM
(3/8"-13 3/8")**

ASTM A53 / EN 10255 / EN 10224 / SI 103 / SI 530 / SI 4314 / ASTM A795

Solar Energy & Solar Mounting Systems




Wide Flange Beams for Solar Panel Mounting

Wide flange beams are the most efficient and cost effective solutions for bearing piles, ground mounts, parking garages, solar farms and roof mounts. Our hot rolled beams are produced as per American Standard-ASTM (A6) in A572, A588, A709 and A992.

At Seametal Solar Solutions, we provide custom-engineered elevated steel structures designed to support solar panels used in all types of applications. We rely on the latest technology enabling us to supply any fabrication job, cut to length, slotting, bending and galvanization services in accordance with ASTM A123, ready to mount products to increase installation rates, reducing costs and saving you money however complex they are.

Imperial Dimensions						
Sizes (Inches)	Unit Weight (lbs / ft)	Area (A) in ²	Depth (d) in	Flange		Web Thickness (tw) in
				Width (bf) in	Thickness (tf) in	
W6x7	7	207	579	3,905	160	135
W6x7.75	7.75	229	582	3,921	177	151
W6x8.5	8.5	252	583	3,940	195	170
W6x9	9	268	590	3,940	215	170
W6x10.4	10.4	313	596	3,970	247	200
W6x12	12	355	603	4,000	280	230
W6x15	15	443	599	5,990	260	230
W6x16	16	474	628	4,030	405	260
W6x20	20	587	620	6,020	365	260
W6x25	25	734	638	6,080	455	320
W8x10	10	296	789	3,940	205	170
W8x13	13	384	799	4,000	255	230
W8x15	15	444	811	4,015	315	245
W8x18	18	526	814	5,250	330	230
W8x21	21	616	828	5,270	400	250



Transmission Tower Projects



Seametal is proud to supply Hot Rolled Steel Equal Angles to the many prestigious Energy Transmission Tower projects in Middle East, North Africa, Europe, South America, and Central America.

All our production processes and logistics stages are under the control of third-party international inspection companies.

We are supplying the Equal Angles to the projects in different special lengths and qualities such as EN NORMS, ASTM, JIS, etc...

	SIZE RANGE (metric)	SIZE RANGE (imperial)
EQUAL ANGLES	From 50x50 up to 200 x 200	From 2 x 2 up to 8 x 8
UN-EQUAL ANGLES	From 75 x50 up to 250 x 90	From 2 1/2 x 2 up to 8 x 6




Mining and Tunnelling Profiles



Seametal is a registered and well-known supplier for underground mines and tunnel projects.

Seametal is able to provide TH Mining profiles as rolled or bended according to the project design in special lengths as per drawings. As per our customer's drawings, TH Mining profiles can be cut to special length and supplied as bended with clamps as a package.



U TYPE MINING PROFILES

Dimensions	Unit Weight (kg/m)
18UY	1,896
25UY	2,476
25U	2,495
29U	2,900
36U	3,587
40U	4,005

TH MINING PROFILES

Dimensions	Unit Weight (kg/m)
TH 21	209
TH 29	290
TH 34	338
TH 36	359



Global Steel Supplier

Decide with confidence

Always building longterm co-operations

Wide product range

SEAMETAL SAN. VE DIS TIC.LTD.STI

Atatürk Mah. Atasehir Bulvarı Gardenya Plaza 5 Apt No: 5/10

Atasehir 34758 Istanbul Turkey T +90.216.456 7335 F +90.216.456 7339

www.seametalltd.com

info@seametalltd.com