



## ALTINBOĞA in its 69th Year

ALTINBOĞA, which was founded in 1957 by Oktay DEMİRAG at a small workshop in Kasımpaşa, moved in early 1965 to its Fener-Golden Horn factory, which has a covered area of 3,500 square meters.

After producing mechanical jacks and lifting equipment, various spare parts of Mercedes buses and agricultural equipment until 1982, the company got into the LPG sector with a brand-new technology in 1983. Leading other companies in the production of LPG regulators and gas equipment, ALTINBOĞA has more than thirty patents, utility models and designs in this sector. Being the creator of insert-type regulators and single-circuit click-on valves, the company is the first organization in the sector which holds all of the TSE, NCH, ISO and CE quality certificates.

ALTINBOĞA, which produced Turkey's first 100% domestically-made car in 1974, started producing three-wheelers named MAYA in 2000. It became the main distributor of the global Japanese giant Kubota in Turkey in 1996 and started its activities in the field of generators and heavy equipment. It continues its production activities at its 20,000 square-meter factory in the Kırklareli Organized Industrial Zone. Taking its name from the value of gold and the strength of bulls and valuing quality and trust above everything for 65 years, ALTINBOĞA will keep providing an increasing contribution to Turkey's economy.

### QUALITY POLICY

- Identifying and fulfilling customers' needs, requests and expectations, and ensuring the continuity of customer satisfaction,
- Adopting it as a principle to respect customers' property and privacy, and playing a "pioneering and exemplary" role in its sector with a mentality open to constant improvement,
- Producing high-quality products in accordance with national and international standards and legal requirements,
- Constantly boosting the company image,
- Ensuring our company's profitability by enhancing quality and efficiency,
- Ensuring the happiness of the employees,
- Protecting the environment,
- Keeping up with and providing to our customers the technological innovations related to our sector simultaneously with the world,
- Raising quality awareness in the entire personnel, enhancing their knowledge and skills through trainings, ensuring that they adopt the principle of teamwork and thereby contribute to continuous improvement activities.

*Şenol DEMİRAG*

## OUR FOUNDER



**1957** *The company was founded in 1957 by Oktay DEMİRAĞ.*



**1965** *At its factory located on the coast of the Golden Horn, which has a covered area of 3,500 square meters, it started producing original spare parts for various brands in the automotive industry.*



**1970** *Performing activities in the field of diesel engine and passenger vehicle production, Altinboğa developed vehicles in 2 categories and diesel engines at 4 power levels with its 250 employees.*



**1980** Producing Turkey's first 100% domestically-made commercial vehicle in 1980s, Altinboğa has equipped its vehicles, from the prototype stage on, with diesel engines of its own production.









**1983** In 1983, it got into the LPG sector with a brand-new technology. Leading other companies in the production of LPG regulators and gas equipment, Altinboğa has more than thirty patents, utility models and industrial designs in this sector. It is among the sector's leading companies that hold CE, TSE and ISO quality certificates.



**2021** ALTINBOĞA, which takes its name from the value of gold and the strength of bulls and has been valuing quality and trust above everything for years, will keep providing an increasing contribution to economy.

# CERTIFICATES





# PRODUCTS

## 1. LOW PRESSURE REGULATORS

- 1.1. Single Stage Valve Regulators
- 1.2. Two Stages Valve Regulators
- 1.3. Single Stage Click-On Regulators
- 1.4. Two Stages Click-On Regulators

## 2. HIGH PRESSURE REGULATORS

- 2.1. Valve Regulators
- 2.2. Click-On Regulators

## 3. CAMPING COOKERS

## 4. HOSES

## 5. TABLE TOP COOKERS

## Single Stage Valve Regulators

### VS114 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29 / 37 / 50</b>		
Capacity (kg/h)	<b>1 / 1,5 / 1,8</b>		
Connections	Inlet		Outlet
	<b>20x1,814 LH, 21,7x1,814 LH, W21,8x1,814 LH, 21,8x1,814 LH</b>		<b>8mm</b>

### VSB102 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,32-10</b>		
Operating Pressure (mbar)	<b>30</b>		
Capacity (kg/h)	<b>1,5</b>		
Connections	Inlet	<b>W21,8x1,814 LH</b>	
	Outlet	<b>8mm</b>	

## VS114-A1 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29 / 37 / 50</b>		
Capacity (kg/h)	<b>1 / 1,5 / 1,8</b>		
Connections	Inlet		Outlet
	<b>W21,8x1,814 LH</b>		<b>8mm</b>

## VS114-A2 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29 / 37 / 50</b>		
Capacity (kg/h)	<b>1 / 1,5 / 1,8</b>		
Connections	Inlet		Outlet
	<b>G7, G9</b>		<b>8mm</b>

## VS114-A3 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29 / 37 / 50</b>		
Capacity (kg/h)	<b>1 / 1,5 / 1,8</b>		
Connections	Inlet		Outlet
	<b>G10</b>		<b>8mm</b>

## VS114-A4 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29 / 37 / 50</b>		
Capacity (kg/h)	<b>1 / 1,5 / 1,8</b>		
Connections	Inlet		Outlet
	<b>G10</b>		<b>8mm</b>

## VS114-A5 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29 / 37 / 50</b>		
Capacity (kg/h)	<b>1 / 1,5 / 1,8</b>		
Connections	Inlet		Outlet
	<b>W21,8x1,814 LH</b>		<b>8mm, 10mm</b>

## VS117 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>		
Inlet Pressure (Bar)	<b>0,3-16</b>		
Operating Pressure (mbar)	<b>29 / 37 / 50</b>		
Capacity (kg/h)	<b>1 / 1,5 / 1,8</b>		
Connections	Inlet		Outlet
	<b>20x1,814 LH, 21,7x1,814 LH, W21,8x1,814 LH, 21,8x1,814 LH</b>		<b>M 12x1</b>

## VS118 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3-16</b>	
Operating Pressure (mbar)	<b>29 / 37 / 50</b>	
Capacity (kg/h)	<b>1 / 1,5 / 1,8</b>	
Connections	Inlet	Outlet
	<b>20x1,814 LH, 21,7x1,814 LH, W21,8x1,814 LH</b>	<b>¼ LH</b>

## TK404 4KG LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29 / 37 / 50</b>		
Capacity (kg/h)	<b>0 - 4</b>		
Connections	Inlet	Outlet	
	<b>1/4"</b>	<b>3/8"</b>	

## TK404-A1 4KG LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29 / 37 / 50</b>		
Capacity (kg/h)	<b>0 - 4</b>		
Connections	Inlet	Outlet	
	<b>20x1,814 LH, 21,7x1,814 LH, W21,8x1,814 LH, 21,8x1,814 LH</b>	<b>8mm, 10mm</b>	

## TK404-A2 4KG LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29 / 37 / 50</b>		
Capacity (kg/h)	<b>0 - 4</b>		
Connections	Inlet	Outlet	
	<b>G10</b>	<b>8mm, 10mm</b>	

## ATR800 10KG LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,5-4</b>	
Operating Pressure (mbar)	<b>30 (25 – 45)</b>	
Capacity (kg/h)	<b>10</b>	
Connections	Inlet	Outlet
	<b>Rc 1/4</b>	<b>Rp 1/2</b>

## ATR800-A 12KG LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,5-4</b>	
Operating Pressure (mbar)	<b>30 (25 – 45)</b>	
Capacity (kg/h)	<b>12</b>	
Connections	Inlet	Outlet
	<b>Rc 1/2</b>	<b>Rc 1/2</b>

## Two Stages Valve Regulators

### TRC1936 TWO STAGES REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3-16</b>	
Operating Pressure (mbar)	<b>29 (27 - 35)</b>	
Capacity (kg/h)	<b>3</b>	
Connections	Inlet	Outlet
	<b>G14</b>	<b>H7</b>

### TRC1936 TWO STAGES REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3-16</b>	
Operating Pressure (mbar)	<b>29 (27 - 35)</b>	
Capacity (kg/h)	<b>3</b>	
Connections	Inlet	Outlet
	<b>G14</b>	<b>H7</b>

## Single Stage Click On Regulators

### MEK320 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29</b>		
Capacity (kg/h)	<b>1</b>		
Connections	Inlet	Outlet	
	<b>16mm</b>	<b>10mm</b>	

### MEK320-A LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29</b>		
Capacity (kg/h)	<b>1</b>		
Connections	Inlet	Outlet	
	<b>16mm</b>	<b>8mm</b>	

## MUK600 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3-16</b>	<b>1-16</b>	<b>0,3-7,5</b>
Operating Pressure (mbar)	<b>29 / 37</b>		
Capacity (kg/h)	<b>1,3</b>		
Connections	Inlet	Outlet	
	<b>20mm,21mm,22mm</b>	<b>8mm,10mm</b>	

## MGS306 LOW PRESSURE REGULATOR (GAS STOP)



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,5-7,5</b>		
Operating Pressure (mbar)	<b>29</b>		
Capacity (kg/h)	<b>2</b>		
Connections	Inlet	Outlet	
	<b>16mm</b>	<b>10mm</b>	

## **PD303 LOW PRESSURE REGULATOR**



Gas Type	LPG	Propane	Butane
Inlet Pressure (Bar)	0,5-7,5		
Operating Pressure (mbar)	29		
Capacity (kg/h)	2		
Connections	Inlet	Outlet	
	16mm	10mm	

## Two Stages Click On Regulators

### W400-Y LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3 - 16</b>	<b>1 - 16</b>	<b>0,3 - 7,5</b>
Operating Pressure (mbar)	<b>29</b>		
Capacity (kg/h)	<b>1,8</b>		
Connections	Inlet	Outlet	
	<b>35mm</b>	<b>10mm</b>	

### W405-N LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3 - 16</b>	<b>0,5 - 7,5</b>	<b>0,3 - 7,5</b>
Operating Pressure (mbar)	<b>29</b>		
Capacity (kg/h)	<b>1,5</b>		
Connections	Inlet	Outlet	
	<b>35mm</b>	<b>H9 (3/8")</b>	

## MEK400-OD LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3 - 16</b>	<b>0,5 - 7,5</b>	<b>0,3 – 7,5</b>
Operating Pressure (mbar)	<b>29</b>		
Capacity (kg/h)	<b>1,8</b>		
Connections	Inlet	Outlet	
	<b>35mm</b>	<b>10mm</b>	

## W405 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3 - 16</b>	<b>1 – 16</b>	<b>0,3 – 7,5</b>
Operating Pressure (mbar)	<b>29</b>		
Capacity (kg/h)	<b>2</b>		
Connections	Inlet	Outlet	
	<b>35mm</b>	<b>H9(3/8")</b>	

## W401 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (mbar)	<b>29</b>	
Capacity (kg/h)	<b>0 - 2</b>	
Connections	Inlet	Outlet
	<b>35mm</b>	<b>8mm</b>

## W400 LOW PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (mbar)	<b>29</b>	
Capacity (kg/h)	<b>2</b>	
Connections	Inlet	Outlet
	<b>35mm</b>	<b>10mm</b>

## **MB305 LOW PRESSURE REGULATOR**



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (mbar)	<b>29</b>	
Capacity (kg/h)	<b>2</b>	
Connections	Inlet	Outlet
	<b>16mm</b>	<b>10mm</b>

## **MGS 306 LOW PRESSURE REGULATOR** **(GAS STOP)**



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (mbar)	<b>29</b>	
Capacity (kg/h)	<b>2</b>	
Connections	Inlet	Outlet
	<b>16mm</b>	<b>10mm</b>

## Valve Regulators

### YBS205 HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (bar)	<b>0 - 4</b>	
Capacity (kg/h)	<b>0 - 12</b>	
Connections	Inlet	Outlet
	<b>W21,8x1,814 LH, 21,8x1,814 LH</b>	<b>8mm, 10mm</b>

### YBS205 A1 HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (bar)	<b>0 - 4</b>	
Capacity (kg/h)	<b>2</b>	
Connections	Inlet	Outlet
	<b>W21,8x1,814 LH, 21,8x1,814 LH</b>	<b>8mm, 10mm</b>

## YB208 HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (bar)	<b>0 - 4</b>	
Capacity (kg/h)	<b>0 - 12</b>	
Connections	Inlet	Outlet
	<b>1/4"</b>	<b>1/4"</b>

## YBA205 HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (bar)	<b>0 - 2</b>	
Capacity (kg/h)	<b>0 - 8</b>	
Connections	Inlet	Outlet
	<b>21,7x1,814 LH, W21,8x1,814 LH, 21,8x1,814 LH</b>	<b>8mm, 10mm</b>

## **VSA108 ADJUSTABLE PRESSURE REGULATOR**



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (mbar)	<b>20 - 70</b>	
Capacity (kg/h)	<b>1</b>	
Connections	Inlet	Outlet
	<b>W21,8x1,814 LH</b>	<b>8mm</b>

## Click On Regulators

### YBE202-Y HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3 - 16</b>	<b>1 - 16</b>	<b>0,3 - 7,5</b>
Operating Pressure (bar)	<b>0 - 2</b>		
Capacity (kg/h)	<b>0 - 8</b>		
Connections	Inlet	Outlet	
	<b>16mm</b>	<b>8mm</b>	

### WI501-Y HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	<b>Propane</b>	<b>Butane</b>
Inlet Pressure (Bar)	<b>0,3 - 16</b>	<b>1 - 16</b>	<b>0,3 - 7,5</b>
Operating Pressure (bar)	<b>0 - 2</b>		
Capacity (kg/h)	<b>0 - 8</b>		
Connections	Inlet	Outlet	
	<b>35mm</b>	<b>8mm, 10mm</b>	

## WI501 HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (bar)	<b>0 - 2</b>	
Capacity (kg/h)	<b>0 - 8</b>	
Connections	Inlet	Outlet
	<b>35mm</b>	<b>8mm, 10mm</b>

## WI501-N HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (mbar)	<b>0 - 2</b>	
Capacity (kg/h)	<b>0 - 8</b>	
Connections	Inlet	Outlet
	<b>35mm</b>	<b>8mm, 10mm</b>

## YBD201 HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (mbar)	<b>0 - 2</b>	
Capacity (kg/h)	<b>0 - 8</b>	
Connections	Inlet	Outlet
	<b>16mm</b>	<b>8mm</b>

## WI500 HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (mbar)	<b>0 - 2</b>	
Capacity (kg/h)	<b>0 - 8</b>	
Connections	Inlet	Outlet
	<b>35mm</b>	<b>8mm, 10mm</b>

## WI501 A2 HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (mbar)	<b>0 - 2</b>	
Capacity (kg/h)	<b>0 - 8</b>	
Connections	Inlet	Outlet
	<b>35mm</b>	<b>6mm</b>

## WI501 A1 HIGH PRESSURE REGULATOR



Gas Type	<b>LPG</b>	
Inlet Pressure (Bar)	<b>0,3 - 16</b>	
Operating Pressure (mbar)	<b>0 - 2</b>	
Capacity (kg/h)	<b>0 - 8</b>	
Connections	Inlet	Outlet
	<b>35mm</b>	<b>10mm</b>

## 8mm LPG HOSE



Standart	<b>TS 1846</b>
Size	<b>Braided 8mm</b>

## 10mm LPG HOSE



Standart	<b>TS 1846</b>
Size	<b>Braided 10mm</b>

## **A0701 TABLE TOP COOKER**




Burner	<b>1800W</b>
Weight	<b>2Kg</b>
Dimension (cm)	<b>26x32x12</b>

## **A0702 TABLE TOP COOKER**



Burner	<b>1300W – 1800W</b>
Weight	<b>3,15Kg</b>
Dimension (cm)	<b>36X55X12</b>

## **A0703 TABLE TOP COOKER**



Burner	<b>900W – 1300W - 1800W</b>
Weight	<b>4,5Kg</b>
Dimension (cm)	<b>36X64x12</b>

## **A0704 TABLE TOP COOKER**



Burner	<b>900W – 1300 W - 1800W</b>
Weight	<b>6 Kg</b>
Dimension (cm)	<b>52X58X12</b>

## **ALTINBOĞA GAZ ALETLERİ MAK. SAN. VE TİC. LTD. ŞTİ.**

Maltepe Mah. Hastane Yolu Sok. No:10/14

34010 Zeytinburnu İstanbul TURKIYE

Tel: +90 212 544 2176

[gazaletleri@altinboga.com.tr](mailto:gazaletleri@altinboga.com.tr)

[www.altinboga.com.tr](http://www.altinboga.com.tr)

# ***Thank You...***