


Fastest • Safest • Ayso

WIDE RANGE FIRE PROTECTION SOLUTIONS



Fire | Pumps | Valves | Service

GROOVED PIPE FITTINGS

				
Coupling Rigid / Flexible 1" - 12"	Reducing Coupling 2" - 8"	U Bolted Mechanical Tee 1" - 2 1/2"	Grooved Mechanical Tee 2" - 8"	Threaded Mechanical Tee 2" - 8"
				
Flanged Adaptor 2" - 8"	Grooved Flange 2" - 8"	Grooved Fittings 1" - 12"	Roll Grooving Machine 1" - 12"	Hole Cutting Machine 1" - 4"

SEISMIC BRACING SYSTEMS

				
Structural Attachment	Sway Brace	Bar Joist Attachment	Adjustable I-Beam Attachment	I-Beam Attachment
				
Seismic Branchline Restraint Pipe Attachment	Seismic Restraint Cable Sets	U/V Flex	Double Gimbal Expansion Joint	Vibration Absorber


PIPE HANGERS

				
Loop Hangers With Nut	Loop Hangers Without Nut	Clevis Hangers	Beam Clamps	CPVC Pipe Hangers

GASEOUS FIRE EXTINGUISHING SYSTEMS



FM 200 Fire Suppression Systems



Novec Fire Suppression Systems



Inert Fire Suppression Systems



Co2 Fire Suppression Systems

SPECIAL HAZARDS



Restaurant Fire Suppression System



Electrical Cabinets Fire Suppression System



Heavy Industrial / Off-road Fire Suppression System



Smoke & Heat Exhaust Ventilation Systems


FIRE PUMPS




Endsuction



Horizontal Split Case




Vertical Turbine




FP Accessories

FOAM EXTINGUISHING SYSTEMS



Vertical / Horizontal Bladder Tanks



Foam Proportioners



Foam Concentrates



Foam Discharge Devices



Fire | Pumps | Valves | Service

MONITORS



Sidewinder EXM2
Max. GPM: 700



Cobra EXM2
Max. GPM: 1250 / 1500



Cobra Max



Scorpion EXM2
Max. GPM: 2500



SkyStream EXM2
Max. GPM: 3000



Magnum EXM2
Max. GPM: 5000



Sidewinder EXM2 UHP
Max. GPM: 300



BoaX2 2000
Max. GPM: 2000



Nitro HD
Max. GPM: 750



RAM XD
Max. GPM: 500



BrushHawk
Max. GPM: 500 (2000)



Sidewinder
Max. GPM: 500



Scorpion Electric
Max. GPM: 2000



Scorpion
Max. GPM: 2000



Vulcan
Max. GPM: 1250



Spit-Fire
Max. GPM: 2000



Copperhead
Max. GPM: 1250



Python
Max. GPM: 1250



Giant Python
Max. GPM: 2500



Hydrant Mount
Max. GPM: 1250

Fastest • Safest • Ayso

15 YEARS OF EXPERIENCE OVER 500 PROJECT REFERENCES

Ayso Teknik provides Fire Suppression Systems, hazard analysis, quotation, installation service and support to protect your assets reliably and effectively.



Fire | Pumps | Valves | Service



Hospitals



Power Plants



Hotels



Warehouses



Residences & Shopping Malls



Sorting & Recycling Facilities



Ports & Intermodal Facilities




Oil & Gas






info@ayso.com.tr • www.ayso.com.tr



SPRINKLER







SPRINKLER ACCESSORIES



ALARM VALVES



ALARM VALVE ACCESSORIES



VALVES



Butterfly Valve w/ Supervisory Switch
Threaded / Grooved / Wafer
1" - 12"



Butterfly Valve
Wafer / Lug
1" - 12"



OS&Y Gate Valve
F-F / G-G / T-T
1" - 12"



Supervisory Switch
For use with OS&Y Gate Valve
1" - 12"



Flow Switches
Threaded / U Bolted
1" - 8"



Check Valves
Threaded / Grooved / Wafer
1" - 12"



NRS Gate Valve
F-F / G-G
2" - 12"



Post Indicator
Vertical / Horizontal



Supervisory Switch
For use with NRS Gate Valve



Test & Drain Valves
T-T / G-G
1" - 12"



Fire Hydrant
Under / Above Ground
3" / 4" / 6"



Adjustable Road Box



Ball Valves
Brass / Bronze / Stainless
1/2" - 8"



Angle Valve
1/2" - 2"



Pressure Relief Valves



Fire Hose Valves



Pressure Reducing Hose Valves



Hose Cabinets



Fire Department Connections



Magnetic Level Gauges



Pressure Relief Valves
T-T / F-F
3" - 10"



Flow Meters
W-W / F-F
2" - 12"



Air Release Valve



Waste Cone



Pump Casing Relief Valves