




IZEM
EXPORT & IMPORT COMPANY

Designer Aluminium Radiators

with
Press



Product
Catalog




IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press



Designer Aluminium Raditors

Evolution











Evolution

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Gap	Towel Warmer Width (mm)	Weight kg (Net)	Watt (ΔT 50)	BTU (ΔT 50)	Connection Type	Finish
Evolution	700	460	9	1	485	2,9	307	1047	Standard	White/ Black/ Antracite
Evolution	800	460	9	2	485	3,1	319	1088	Standard	
Evolution	1000	460	12	2	485	4,0	409	1395	Standard	
Evolution	1200	460	14	3	485	4,8	497	1695	Standard	
Evolution	1500	460	19	4	485	6,5	648	2210	Standard	

Diameter of Connection	1/2"
Distance between Centres	(Width) - (25 mm)

-  Electrical Use
-  Max. Operating Pressure 10 Bar
-  Aluminum Material
-  Central System
-  Max. Working Temperature 95°C
-  Warranty
-  Anodized Finish
-  Electrostatic Powder Finish



IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press


Designer Aluminium Raditors

Rose











Rose

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Gap	Towel Warmer Width (mm)	Weight kg (Net)	Watt (ΔT 50)	BTU (ΔT 50)	Connection Type	Finish
Rose	700	460	13	2	485	2,9	251	856	Standard	White/ Black/ Antracite
Rose	800	460	15	2	485	3,3	289	985	Standard	
Rose	1000	460	18	2	485	4,1	347	1183	Standard	
Rose	1200	460	24	2	485	5,3	463	1579	Standard	
Rose	1500	460	29	2	485	6,5	559	1906	Standard	

Diameter of Connection	1/2"
Distance between Centres	(Width) - (25 mm)

-  Electrical Use
-  Central System
-  Anodized Finish
-  Max. Operating Pressure 10 Bar
-  Max. Working Temperature 95°C
-  Electrostatic Powder Finish
-  Aluminum Material
-  Warranty





IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press


Offaly

Designer Aluminium Raditors



Offaly

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Towel Warmer Width (mm)	Weight kg (Net)	Watt ($\Delta T 50$)	BTU ($\Delta T 50$)	Connection Type	Finish
Offaly	1000	500	2	400	4,5	379	1292	Standard	White Black Antracite
Offaly	1200	500	2	400	5,4	451	1538	Standard	

Diameter of Connection	1/2"
------------------------	------



Electrical Use



Central System



Max. Operating Pressure 10 Bar



Max. Working Temperature 95° C



Aluminum Material



Warranty



Electrostatic Powder Finish



Crocodile Texture Finish






IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press



Designer Aluminium Raditors

Baby



Baby

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Towel Warmer Width (mm)	Weight kg (Net)	Watt (ΔT 50)	BTU (ΔT 50)	Connection Type	Finish
Baby	1000	490	3	500	5,7	454	1548	Standard	White Black Antracite
Baby	1200	510	3	500	6,1	545	1858	Standard	

Diameter of Connection	1/2"
------------------------	------



Electrical Use



Central System



Max. Operating Pressure 10 Bar



Max. Working Temperature 95° C



Aluminum Material



Warranty



Electrostatic Powder Finish



Crocodile Texture Finish







IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press


Designer Aluminium Raditors

VOCO



VOCO

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Towel Warmer Width (mm)	Weight kg (Net)	Watt (ΔT 50)	BTU (ΔT 50)	Connection Type	Finish
Voco	1000	500	2	400	4,0	290	989	Standard	White Black Antracite
Voco	1200	500	2	400	4,8	360	1228	Standard	

Diameter of Connection	1/2"
------------------------	------



Electrical Use



Central System



Max. Operating Pressure 10 Bar



Max. Working Temperature 95° C



Aluminum Material



Warranty



Electrostatic Powder Finish



Crocodile Texture Finish






IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press

Designer Aluminium Raditors

Dream





IZEM
EXPORT & IMPORT COMPANY



Radiators

With Press

Dream

Technical Data

Designer Aluminium Radiators



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Towel Warmer Width (mm)	Weight kg (Net)	Watt (ΔT 50)	BTU (ΔT 50)	Connection Type	Finish
Dream	1000	700	3	600	5,8	430	1466	Standard	White Black Antracite
Dream	1200	700	3	600	7,2	505	1722	Standard	

Diameter of Connection	1/2"
------------------------	------



Electrical Use



Central System



Max. Operating Pressure 10 Bar



Max. Working Temperature 95° C



Aluminum Material



Warranty



Electrostatic Powder Finish



Crocodile Texture Finish




IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press



Designer Aluminium Raditors

Diamond



Diamond

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Towel Warmer Width (mm)	Weight kg (Net)	Watt (ΔT 50)	BTU (ΔT 50)	Connection Type	Finish
Diamond	1000	460	3	380	4,9	393	1340	Standard	White Black Antracite
Diamond	1200	460	3	400	5,9	476	1623	Standard	

Diameter of Connection	1/2"
------------------------	------



Electrical Use



Central System



Max. Operating Pressure 10 Bar



Max. Working Temperature 95° C



Aluminum Material



Warranty



Electrostatic Powder Finish



Crocodile Texture Finish




IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press



Designer Aluminium Raditors

Canvas



Canvas

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Gap	Towel Warmer Width (mm)	Weight kg (Net)	Watt ($\Delta T 50$)	BTU ($\Delta T 50$)	Connection Type	Finish
Canvas	700	460	9	1	485	3,5	292	996	Standard	White/ Black/ Antracite
Canvas	800	460	9	2	485	3,7	304	1037	Standard	
Canvas	1000	460	12	2	485	4,8	390	1330	Standard	
Canvas	1200	460	14	3	485	5,7	473	1613	Standard	
Canvas	1500	460	19	4	485	7,7	617	2104	Standard	

Diameter of Connection	1/2"
Distance between Centres	(Width) - (25 mm)



Electrical Use



Max. Operating Pressure 10 Bar



Aluminum Material



Central System



Max. Working Temperature 95°C



Warranty



Anodized Finish



Electrostatic Powder Finish




IZEM
EXPORT & IMPORT COMPANY

With Press

Cove Elips

Designer Aluminium Raditors





IZEM
EXPORT & IMPORT COMPANY



Radiators

With Press

Designer Aluminium Raditors

Cove Elips

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Towel Warmer Width (mm)	Weight kg (Net)	Watt (ΔT 50)	BTU (ΔT 50)	Connection Type	Finish
Cove Elips	700	275	2	185	4,7	170	580	Standard	White/ Black/ Antracite
Cove Elips	800	275	2	185	4,9	195	665	Standard	
Cove Elips	1000	275	2	185	6,4	243	829	Standard	
Cove Elips	1200	275	2	185	7,6	292	996	Standard	
Cove Elips	1500	275	2	185	10,2	365	1245	Standard	

Diameter of Connection	1/2"
------------------------	------



Electrical Use



Max. Operating Pressure 10 Bar



Aluminum Material



Central System



Max. Working Temperature 95°C



Warranty



Anodized Finish



Electrostatic Powder Finish




IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press

Designer Aluminium Raditors

Lolly Line







IZEM
EXPORT & IMPORT COMPANY

Lolly Line

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Gap	Towel Warmer Width (mm)	Weight kg (Net)	Watt (ΔT 50)	BTU (ΔT 50)	Connection Type	Finish
Lolly Line	700	460	6	1	485	2,5	279	951	Standard	White/ Black/ Antracite
Lolly Line	800	460	7	1	485	2,9	326	1112	Standard	
Lolly Line	1000	460	8	2	485	3,5	372	1269	Standard	
Lolly Line	1200	460	9	3	485	4,0	435	1483	Standard	
Lolly Line	1500	460	12	3	485	5,2	558	1903	Standard	

Diameter of Connection	1/2"
Distance between Centres	(Width) - (25 mm)



Electrical Use



Max. Operating Pressure 10 Bar



Aluminum Material



Central System



Max. Working Temperature 95°C



Warranty



Anodized Finish



Electrostatic Powder Finish




IZEM
EXPORT & IMPORT COMPANY

With Press


Lolly

Designer Aluminium Raditors











Lolly

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Gap	Towel Warmer Width (mm)	Weight kg (Net)	Watt ($\Delta T 50$)	BTU ($\Delta T 50$)	Connection Type	Finish
Lolly	700	460	6	1	485	3,1	315	1071	Standard	White/ Black/ Antracite
Lolly	800	460	7	1	485	3,6	368	1255	Standard	
Lolly	1000	460	8	2	485	4,2	420	1432	Standard	
Lolly	1200	460	9	3	485	4,9	492	1678	Standard	
Lolly	1500	460	12	3	485	6,3	631	2152	Standard	

Diameter of Connection	1/2"
Distance between Centres	(Width) - (25 mm)

-  Electrical Use
-  Max. Operating Pressure 10 Bar
-  Aluminum Material
-  Central System
-  Max. Working Temperature 95°C
-  Warranty
-  Anodized Finish
-  Electrostatic Powder Finish




IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press

Designer Aluminium Raditors

Paradiso






IZEM
EXPORT & IMPORT COMPANY

Paradiso

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Gap	Towel Warmer Width (mm)	Weight kg (Net)	Watt (ΔT 50)	BTU (ΔT 50)	Connection Type	Finish
Paradiso	695	460	8	2	490	5,0	271	924	Standard	White/ Black/ Antracite
Paradiso	765	460	9	2	490	5,6	304	1037	Standard	
Paradiso	1045	460	12	3	490	6,9	406	1384	Standard	
Paradiso	1255	460	15	3	490	9,1	547	1865	Standard	
Paradiso	1465	460	17	4	490	10,5	575	1961	Standard	

Diameter of Connection	1/2"
Distance between Centres	(Width) - (30 mm)

- Electrical Use
- Max. Operating Pressure 10 Bar
- Aluminum Material
- Central System
- Max. Working Temperature 95°C
- Warranty
- Anodized Finish
- Electrostatic Powder Finish



IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press


Designer Aluminium Raditors

Paradiso Line











Paradiso Line

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Gap	Towel Warmer Width (mm)	Weight kg (Net)	Watt ($\Delta T 50$)	BTU ($\Delta T 50$)	Connection Type	Finish
Paradiso Line	695	460	8	2	490	5,0	271	924	Standard	White/ Black/ Antracite
Paradiso Line	765	460	9	2	490	5,6	304	1037	Standard	
Paradiso Line	1045	460	12	3	490	6,9	406	1384	Standard	
Paradiso Line	1255	460	15	3	490	9,1	547	1865	Standard	
Paradiso Line	1465	460	17	4	490	10,5	575	1961	Standard	

Diameter of Connection	1/2"
Distance between Centres	(Width) - (30 mm)

-  Electrical Use
-  Max. Operating Pressure 10 Bar
-  Aluminum Material
-  Central System
-  Max. Working Temperature 95°C
-  Warranty
-  Anodized Finish
-  Electrostatic Powder Finish



IZEM
EXPORT & IMPORT COMPANY

Radiators

With Press



Designer Aluminium Raditors

Atlantis



Atlantis

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Gap	Towel Warmer Width (mm)	Weight kg (Net)	Watt ($\Delta T 50$)	BTU ($\Delta T 50$)	Connection Type	Finish
Atlantis	700	460	9	1	490	4,7	226	771	Standard	White/ Black/ Antracite
Atlantis	800	460	9	2	490	4,9	235	801	Standard	
Atlantis	1000	460	12	3	490	6,4	302	1030	Standard	
Atlantis	1200	460	14	4	490	7,6	366	1248	Standard	
Atlantis	1500	460	19	4	490	10,2	478	1630	Standard	

Diameter of Connection	1/2"
Distance between Centres	(Width) - (30 mm)



Electrical Use



Max. Operating Pressure 10 Bar



Aluminum Material



Central System



Max. Working Temperature 95°C



Warranty





Anodized Finish



Electrostatic Powder Finish



Designer Aluminium Raditors
With Press

Nikki



Nikki

Technical Data



Model Name	Height (mm)	Axle (centers-mm)	Slice Per Towel Heater	Towel Warmer Width (mm)	Weight kg (Net)	Watt (ΔT 50)	BTU (ΔT 50)	Connection Type	Finish
Nikki	1000	460	5	500	6,5	373	1272	Standard	White Black Antracite
Nikki	1200	460	6	500	7,8	448	1528	Standard	

Diameter of Connection	1/2"
Distance between Centres	(Width) - (40 mm)

-  Electrical Use
-  Central System
-  Max. Operating Pressure 10 Bar
-  Max. Working Temperature 95° C
-  Aluminum Material
-  Warranty
-  Electrostatic Powder Finish
-  Crocodile Texture Finish



IZEM
EXPORT & IMPORT COMPANY

About Us



Our company, which started its operations in 2021, is Turkey's largest modern export company.

Izem Ltd specialises in supplying a varied range of high quality bathroom, home products into the retail, wholesale and construction industry all across the US & Europe & UK.

We have an innovative approach to developing our products that are competitive in the industry, as well as consistently ensuring we are up to date with the latest moving trends.

Professionalism, care and constant commitment to production processes, combined with close attention to the customer and the market, make our group an international company that is able to offer targeted and reliable solutions.

İzem Isı ve İnşaat Malzemeleri Dış Ticaret Ltd.Şti.

Management Office

75.Yıl Mahallesi
Bahri Sarıtepe Caddesi
No:51 -K:2 D:3
Yunussemre / Manisa /TURKEY

Head Office

Cumhuriyet Mah.5050 Sok.No:3/55
Yunussemre /Manisa /TURKEY

E-mail:

info@izemexport.com

www.izemexport.com

