




**TURK
GLOBAL**

Wood Iproved

RESISTANT TO ALL WEATHER CONDITIONS



Turk Global[®] provides construction materials that are low-maintenance, rot proof, and resistant to all weather conditions. This unique composite material also creates safe anti-slip, splinter-free structures perfect for any outdoor environment. Turk global[®] is ideal for the value conscious consumer who also wants a luxurious product with timeless appeal.



SUSTAINABLE AND ENVIRONMENTALLY RESPONSIVE



This environmentally friendly product is 100% recyclable and its use help preserve our natural forests. Our modern manufacturing facility is designed with “state of the art” equipment allowing us to efficiently produce a high-quality product with minimal environmental impact.



Turk Global

Wood lproved





1	DECK	4-9
2	PERGOLA	10-15
3	RAILING	16-21
4	FENCE	22-27
5	SIDING	28-33
6	HYBRID	34-39
	PRODUCT LIST	40-50

Turk
Global
Wood Iproved





DECK

DECK

Turk global COMPOSITE DECK IS A DURABLE, COST EFFECTIVE, AND SAFE OUTDOOR FLOORING SOLUTION.

Products made from TerraWood, a unique blend of PVC, wood fiber and other proprietary components are an elegant, cost-effective, durable and safe alternative to wood for both residential and commercial outdoor recreational areas. The lifespan of wood is limited when exposed to moisture and insect damage. Wooden decks require chemical treatments to maintain appearance and structural integrity. Screw heads pop out over time and required maintenance generates extra cost and takes time away from your fun and relaxation. In addition, the safety of wooden structures can put friends and family at risk with splintered or slippery surfaces.

HIDDEN FASTENERS & ELECTRICAL WIRES

The unique "groove and groove" design of TerraWood systems presents a clean, unobstructed profile that enables proper drainage. All installation is completed using hidden fasteners made of stainless steel. Our special design also allows unsightly electrical wires to be hidden inside the decking and the posts. The combination of these features provides the appealing appearance of a high-quality product.

SAFETY

We believe in safety. Our products have been thoroughly tested in several countries for load bearing limits, flammability, fade and slip resistance. Our decking products are Class 3, the highest anti-slip rating awarded. These properties make TerraWood ideal for pool surrounds, docks, terraces and other landscaping projects. No more worries about popped screw heads or splinters. TerraWood is the safe answer to all of your project needs.

OUR GUARANTEE

Your investment is protected by our 20 year limited warranty. TerraWood products will be free from material defects in workmanship and materials and will not splinter, rot or suffer structural damage from termites or fungal decay.

PROFILE COLORS AND TEXTURE



301
HAZELNUT BROWN



303
TROPICAL BROWN



304
STONE GREY



305
ANTHRACITE




307
RED OAK



401
IVORY WHITE

WOOD GRAIN TEXTURE



301
HAZELNUT BROWN




303
TROPICAL BROWN



304
STONE GREY



305
ANTHRACITE




307
RED OAK



401
IVORY WHITE

SYSTEM PROFILES



DECK BOARD 140/26

Width	140mm
Length	2200mm
Height	26mm

DECK BOARD 140/22


Width	140mm
Length	2200mm
Height	22mm

SOLID DECK BOARD 140/22

Width	140mm
Length	2200mm
Height	22mm


DECK TRIM

Width	140mm
Length	2200mm
Height	60mm



WPC JOIST

Width	45mm
Length	2200mm
Height	33mm




WPC PLINTH

Height	60mm
Length	2200mm
Thickness	9mm



HYBRID JOIST


Width	45mm
Length	4000mm
Height	33mm



HYBRID PLINTH

Height	60mm
Length	6000mm
Thickness	9mm

INSTALLATION



- 1 DECK BOARD
- 2 JOIST
- 3 DECK TRIM
- 4 PLINTH




Turk
Global
Wood Iproved

DECK



Turk
Global
Wood Iproved

DECK



Turk
Global
Wood Improved





PERGOLA

PERGOLA

Turk Global® PERGOLA STRUCTURES ADD ARCHITECTURAL CHARM AND ELEGANCE TO ANY OUTDOOR SETTING.

A charming pergola provides the perfect shady spot to escape the hot summer sun. Turk Global® has combined high-quality wood fibers and virgin polymer resins to create pergolas that look remarkably like real wood but with far higher durability and greatly reduced maintenance.

Pergolas built by Turk Global® are available in a wide variety of sizes and styles including open, semi-open or closed designs. Both freestanding and attached models are available to meet your needs. These structures add architectural charm and elegance to any outdoor setting.

EASY CLEANING

Simple power washing is recommended to clean and maintain your TherraWood® products. The time consuming and expensive application of UV protection, varnishes and chemical products is a thing of the past. Dust and stains do not penetrate TherraWood®, therefore, the original surface quality can be restored by rubbing the face with a stiff wire brush.

PROFILE COLORS AND TEXTURE



301
HAZELNUT BROWN



303
TROPICAL BROWN



304
STONE GREY



305
ANTHRACITE




307
RED OAK




401
IVORY WHITE

SYSTEM PROFILES




POST 150

Width	150mm
Height	3000mm
Width	150mm




BEAM

Height	220mm
Length	6000mm
Width	60mm





RAFTER

Height	150mm
Length	6000mm
Width	60mm




PERGOLA CLADDING

Width	200mm
Length	6000mm
Thickness	16mm





HYBRID POST

Width	130mm
Height	6000mm
Width	130mm




HYBRID BEAM

Height	200mm
Length	6000mm
Width	50mm



HYBRID RAFTER


Height	130mm
Length	6000mm
Width	50mm



HYBRID LOUVER

Height	100mm
Length	6000mm
Width	50mm

INSTALLATION



- 1 POST
- 2 BEAM
- 3 RAFTER
- 4 CLADDING




**Turk
Global** PERGOLA
Wood Improved



**Turk
Global** PERGOLA
Wood Improved

Turk
Global
Wood Improved

PERGOLA



Turk
Global
Wood Improved

PERGOLA







RAILING

RAILING

Turk Global® RAILING SYSTEMS ARE MANUFACTURED WITH HIGH PERFORMANCE HYBRID TECHNOLOGY.

Although railings are often one of the last items to be selected and installed they are often the most prominent feature in any outdoor space. Until now you could choose from vinyl with its plastic chalky look, aluminum which will eventually oxidize or hollow composite products often requiring inserts for strength. We were not happy with those choices and as a result, designed our own "hybrid system". Our railing system not only looks great but offers several advantages unique to our product. Our railing is manufactured with a strong aluminum core for strength and a composite outer layer for durability and appearance. But we didn't stop there. You can choose between a smooth or a more natural looking brushed finish. If you prefer, you can replace the traditional baluster look with glass panels or stainless steel cable. You will not find a better system or one with more exciting options.

PROFILE COLORS AND TEXTURE



301
HAZELNUT BROWN




303
TROPICAL BROWN



304
STONE GREY



305
ANTHRACITE




307
RED OAK




401
IVORY WHITE

SYSTEM PROFILES




HYBRID POST

Width	64mm
Height	6000mm
Width	64mm



HYBRID TOP RAIL

Width	57mm
Length	6000mm
Height	25mm



HYBRID BOTTOM RAIL

Width	32mm
Length	6000mm
Height	38mm




HYBRID BALLUSTER

Width	18mm
Length	6000mm
Height	18mm


INSTALLATION



- 1 POST
- 2 TOP RAIL
- 3 BOTTOM RAIL
- 4 BALLUSTER



Turk
Global RAILING
Wood Improved



Turk
Global RAILING
Wood Improved



Turk
Global
Wood Iproved





FENCE

FENCE

Turk Global® FENCE IS AN IDEAL AND PRACTICAL SOLUTION FOR TRANSFORMING YOUR OUTDOOR AREAS TO A SAFE AND PRIVATE ZONE.

TerraWood® fences will transform your environment into a beautiful outdoor living area. This practical solution to privacy and protection offers all of the low-maintenance advantages of a durable composite material while avoiding the many disadvantages of traditional wood products. After time most wood fences deteriorate and actually detract from your property's value. TerraWood® fences make a design statement right from the start and will maintain that attractive new look for many years to come. Our fencing systems are easy to install, strong, durable, cost effective over time and protected by a 20 year limited warranty.

PROFILE COLORS AND TEXTURE



301
HAZELNUT BROWN




303
TROPICAL BROWN



304
STONE GREY



305
ANTHRACITE




307
RED OAK




401
IVORY WHITE

SYSTEM PROFILES



FENCE BOARD 150

Height	150mm
Length	6000mm
Thickness	24mm




FENCE BOARD 125

Height	125mm
Length	6000mm
Thickness	24mm



FENCE BOARD 140

Height	140mm
Length	6000mm
Thickness	16mm





HYBRID FENCE BOARD

Height	90mm
Length	6000mm
Thickness	24mm





POST 110

Width	110mm
Height	6000mm
Width	110mm





START/END POST

Depth	77mm
Length	5600mm
Width	38mm



INTERMEDIATE POST


Depth	77mm
Length	5600mm
Width	58mm



CORNER POST

Depth	85mm
Length	5600mm
Width	82mm

INSTALLATION



- ① POST
- ② INTERMEDIATE POST
- ③ CORNER POST
- ④ FENCE BOARD 150
- ⑤ FENCE BOARD 125




Turk
Global
Wood Improved

FENCE



Turk
Global
Wood Improved

FENCE





A close-up photograph of brown, textured siding panels. The panels are arranged in a staggered pattern, with dark, recessed joints between them. The texture is granular and slightly uneven, giving it a natural, wood-like appearance. The lighting is soft, highlighting the fine details of the material.

SIDING

SIDING

Turk Global® FACADE PROFILES WITH NATURAL WOOD TEXTURE ARE RESISTANT TO ALL WEATHER CONDITIONS.

The natural timber effect of wood composite siding is an elegant alternative to improve the exterior of any residential or commercial building. Let inspiration be your guide as you design your project using Turk Global's wide range of options. Our product comes in a pleasing variety of colors with some having two differently textured usable sides. Options also include your choice of colors for both inside and outside corners.

FAST AND PRACTICAL INSTALLATION

Turk Global® composite siding provides a protective layer against all weather conditions. Our product is highly resistant to moisture and provides additional insulation qualities. Long-term durability, easy installation and cost effective maintenance make® Turk Global an excellent choice for enhancing any building.

PROFILE COLORS AND TEXTURE




301
HAZELNUT BROWN




303
TROPICAL BROWN



304
STONE GREY



305
ANTHRACITE




307
RED OAK




401
IVORY WHITE

SYSTEM PROFILES




CLADDING

Width	200mm
Length	6000mm
Thickness	16mm




CORNER COVER

Width	50mm
Length	6000mm
Thickness	23mm





HYBRID OUTWARD CORNER

Width	55mm
Length	6000mm
Width	55mm




CORNER STARTER

Width	21mm
Length	4000mm
Height	40mm




OUTWARD CORNER POST

Width	58mm
Length	4000mm
Width	58mm



HYBRID CORNER SUBSTRUCTURE


Width	60mm
Length	6000mm
Width	60mm



INWARD CORNER POST

Width	73mm
Length	4000mm
Width	73mm

INSTALLATION



- 1 SIDING
- 2 CORNER COVER
- 3 CORNER START-UP
- 4 OUTWARD CORNER
- 5 INWARD CORNER

Turk Global

Wood Iproved


SIDING



Turk Global

Wood Iproved

SIDING









HYBRID

HYBRID

Turk Global® HYBRID TECHNOLOGY BRINGS TOGETHER THE AESTHETIC OF WOOD, RIGIDNESS OF ALUMINIUM AND RESISTANCE OF PLASTIC.

Our new hybrid profiles are created by a revolutionary manufacturing process that combines an aluminum core fused with a composite exterior. The result is a line of products with unmatched strength, durability and a very attractive wood-like appearance. Today, this technology can be found in all our railing profiles and is available as an option with any of our pergolas. In addition we have added a line of special purpose hybrid profiles for your custom projects. Turk Global® is leading the way with innovation to produce better products that provide excellent value for our customers.

PROFILE COLORS AND TEXTURE



301
HAZELNUT BROWN




303
TROPICAL BROWN



304
STONE GREY



305
ANTHRACITE





307
RED OAK




401
IVORY WHITE

SYSTEM PROFILES





HYBRID 130/130

Width	130mm
Height	6000mm
Width	130mm





HYBRID 50/200

Height	200mm
Length	6000mm
Width	50mm




HYBRID 50/130

Height	130mm
Length	6000mm
Width	50mm




HYBRID 100/100

Width	100mm
Height	6000mm
Width	100mm



HYBRID 50/100

Width	100mm
Length	6000mm
Thickness	50mm




HYBRID 64/64

Width	64mm
Height	6000mm
Width	64mm




HYBRID 20/80

Width	80mm
Length	6000mm
Thickness	20mm



HYBRID 50/50

Width	50mm
Height	6000mm
Width	50mm



HYBRID BENCH BOARD

Width	114mm
Length	6000mm
Thickness	34mm



HYBRID FENCE BOARD

Height	90mm
Length	6000mm
Thickness	24mm



SHUTTER LOUVER

Height	74mm
Length	6000mm
Thickness	30mm



SHUTTER FRAME

Width	64mm
Length	6000mm
Height	20mm



HYBRID 20/40

Width	40mm
Length	6000mm
Thickness	20mm



HYBRID 32/38

Width	32mm
Length	6000mm
Height	38mm




HYBRID 18/18

Width	18mm
Length	6000mm
Thickness	18mm

Turk
Global
Wood Improved

HYBRID



Turk
Global
Wood Improved


HYBRID





Turk Global

Wood Iproved


























PRODUCT LIST

DECK SYSTEM PROFILES and ACCESSORIES

		11504 · DECK BOARD 140/26 Width 140mm Length 2200mm Height 26mm			11508 · DECK BOARD 140/22 Width 140mm Length 2200mm Height 22mm
		11509 · SOLID DECK BOARD 140/22 Width 140mm Length 2200mm Height 22mm			11024 · PLINTH Height 60mm Length 2200mm Thickness 9mm
		11510 · DECK TRIM Width 140mm Length 2200mm Height 60mm			11014 · JOIST Width 45mm Length 2200mm Height 33mm
		18012 · HYBRID JOIST Width 45mm Length 4000mm Height 33mm			18011 · HYBRID PLINTH Height 60mm Length 6000mm Thickness 9mm
		21314 · STARTER PROFILE Width 30mm Length 2200mm Height 8mm			21210 · FASTENER Width 42mm Height 42mm Thickness 12mm
		21324 · COVER PROFILE Width 40mm Length 4000mm Height 60mm			21319 · CLOSING CAP Width 26mm Length 140mm Height 5mm
		62911 · CORNER BRACKET Width 35mm Length 35mm Height 2mm			62911 · EXTENSION BRACKET Width 21mm Length 67mm Height 2mm
		31200 · PEDESTAL Height Various sizes			92020 · BUILDEX SCREW Diameter 7.5mm Length 80mm

PERGOLA SYSTEM PROFILES and ACCESSORIES

		11803 · POST 150 Width 150mm Height 3000mm Width 150mm			11706 · BEAM Height 220mm Length 6000mm Width 60mm
		11906 · RAFTER 60/150 Height 150mm Length 6000mm Width 60mm			15252 · POST 110 Width 110mm Height 6000mm Width 110mm
		11907 · RAFTER 65/100 Height 100mm Length 6000mm Width 65mm			11908 · RAFTER 50/100 Height 100mm Length 6000mm Width 50mm
		11046 · PERGOLA CLADDING Width 200mm Length 6000mm Thickness 16mm			11295 · ROOF CLADDING Width 200mm Length 6000mm Thickness 32mm
		11034 · TOP RUNNER Width 150mm Length 6000mm Thickness 4mm			11017 · ROOF CLADDING COVER Width 45mm Length 6000mm Height 33mm
		12803 · POST CAP 150 Width 45mm Length 150mm Thickness 19mm			12704 · BEAM CAP Width 60mm Height 220mm Thickness 35mm
		12904 · RAFTER CAP Width 60mm Length 150mm Thickness 19mm			12906 · RAFTER 50/100 CAP Height 50mm Length 100mm Width 19mm
		21514 · CLADDING COVER Width 40mm Length 6000mm Height 35mm			61201 · CONNECTOR 60/32 Width 60mm Height 278mm Thickness 32mm

PERGOLA SYSTEM PROFILES and ACCESSORIES

61202 · CONNECTOR 32/32

Width	32mm
Height	278mm
Width	32mm

61206 · BEAM/RAFTER REINFORCEMENT

Height	98mm
Length	6000mm
Width	46mm

61204 · BOX PROFILE

Height	100mm
Length	6000mm
Width	40mm

61207 · RAFTER 50/100 REINFORCEMENT

Width	40mm
Height	6000mm
Thickness	32mm

62803-500 · HIDDEN POST HOLDER 150

Width	150mm
Width	150mm
Height	200mm

62803-600 · HIDDEN POST HOLDER 110

Width	110mm
Width	110mm
Height	200mm

62902 · RAFTER CONNECTOR 60U FLAT

Width	60mm
Height	75mm
Width	60mm

62903 · RAFTER CONNECTOR 60 U

Depth	60mm
Height	53mm
Width	70mm

62904 · RAFTER CONNECTOR 60 L

Width	60mm
Height	53mm
Thickness	70mm

62905 · RAFTER CONNECTOR 60 Z

Width	60mm
Height	53mm
Thickness	139mm

62906 · RAFTER CONNECTOR 150 U

Width	60mm
Height	150mm
Depth	50mm

62907 · RAFTER CONNECTOR 220 U

Width	60mm
Height	220mm
Depth	50mm

92001 · PERGOLA INSTALLATION SCREW

Diameter	3.9mm
Length	22mm

92011 · CLADDING INSTALLATION SCREW

Diameter	4.2mm
Length	22mm





























92803 · POST LOCK PIN

Diameter	10mm
Length	170mm

































92903 · EXPANSION BOLT

Diameter	8mm
Length	75mm


RAILING SYSTEM PROFILES and ACCESSORIES

		16004 · HYBRID POST Width 64mm Height 6000mm Width 64mm			16003 · HYBRID TOP RAIL Width 57mm Length 6000mm Height 25mm
		16002 · HYBRID BOTTOM RAIL Width 32mm Length 6000mm Height 38mm			16005 · HYBRID BALLUSTER Width 18mm Length 6000mm Height 18mm
		17100 · POST CAP Width 74mm Width 74mm Height 30mm			17200 · POST SKIRT Width 95mm Width 95mm Height 21mm
		17300 · POST TOP CONNECTOR Width 63mm Width 63mm Thickness 18mm			17400 · POST BOTTOM CONNECTOR Width 70mm Width 70mm Thickness 15mm
		17500 · TOP RAIL CONNECTOR Width 65mm Height 45mm Thickness 25mm			17600 · BOTTOM RAIL CONNECTOR Width 35mm Height 45mm Thickness 25mm
		17700 · BOTTOM RAIL HIDDEN CONNECTOR Width 31mm Height 20mm Thickness 20mm			17800 · TOP RAIL SWIVEL BRACKET Width 45mm Thickness 48mm Height 56mm
		17900 · BOTTOM RAIL SWIVEL BRACKET Width 45mm Thickness 48mm Height 56mm			14300 · GLASS CONNECTOR Width 40mm Height 44mm Thickness 23mm
		93001 · STEEL ROD Height 1250mm			93002 · NUT Diameter 10mm

FENCE SYSTEM PROFILES and ACCESSORIES


		15281 · FENCE BOARD 150/24 Height 150mm Length 6000mm Thickness 24mm			15284 · FENCE BOARD 125/24 Height 125mm Length 6000mm Thickness 24mm
		15252 · POST 110 Width 110mm Height 6000mm Width 110mm			15211 · FENCE BOARD 140/16 Length 140mm Height 6000mm Thickness 16mm
		15282 · BENCH BOARD 100/25 Width 100mm Length 6000mm Thickness 25mm			15286 · BENCH BOARD 95/35 Width 95mm Length 6000mm Thickness 35mm
		16008 · HYBRID FENCE BOARD 90/24 Width 90mm Height 6000mm Thickness 24mm			14120 · START/END POST Depth 77mm Width 5600mm Thickness 38mm
		14119 · INTERMEDIATE POST Depth 77mm Length 5600mm Width 58mm			14127 · CORNER POST Depth 85mm Length 5600mm Width 82mm
		14123 · START/END POST PLATE Width 150mm Width 150mm Thickness 10mm			14124 · INTERMEDIATE POST PLATE Width 150mm Width 150mm Thickness 10mm
		14128 · CORNER POST PLATE Width 150mm Width 150mm Thickness 10mm			14121 · START/END POST CAP Width 77mm Width 38mm Thickness 2mm
		14122 · INTERMEDIATE POST CAP Width 77mm Width 58mm Thickness 2mm			14129 · CORNER POST CAP Width 85mm Width 82mm Thickness 2mm

FENCE SYSTEM PROFILES and ACCESSORIES





14126 · ALUMINIUM TOP RAIL

Width	24mm
Length	5000mm
Height	13mm




14130 · ALUMINIUM SPACE

Width	46mm
Height	5600mm
Thickness	27mm




15100 · BOTTOM HEIGHT ADJUSTER

Width	41mm
Length	190mm
Height	12mm



15300 · M8/35 SCREW

Diameter	8mm
Length	35mm





15200 · POST CAP SCREW

Diameter	4mm
Length	10mm



92903 · EXPANSION BOLT

Diameter	8mm
Length	75mm



62803-600 · HIDDEN POST HOLDER 110

Width	110mm
Width	110mm
Height	200mm



92803 · POST LOCK PIN

Diameter	10mm
Length	170mm



13204 · POST CAP 110

Width	110mm
Width	110mm
Thickness	19mm



21320 · BOARD CAP 140



Width	16mm
Height	140mm
Thickness	4mm



13104 · BOARD CAP 150


Width	24mm
Height	150mm
Thickness	4mm

SIDING SYSTEM PROFILES and ACCESSORIES



15280 · CLADDING

Width	200mm
Length	6000mm
Thickness	16mm





15223 · CORNER COVER

Width	50mm
Length	6000mm
Thickness	23mm





17001 · HYBRID OUTWARD CORNER

Width	55mm
Length	6000mm
Width	55mm





21414 · CORNER STARTER

Width	21mm
Length	4000mm
Height	40mm




21424 · OUTWARD CORNER POST

Width	58mm
Length	4000mm
Height	58mm




21714 · HYBRID CORNER SUBSTRUCTURE

Width	60mm
Length	6000mm
Width	60mm





21434 · INWARD CORNER POST

Width	73mm
Length	4000mm
Width	73mm



61206-101 · MOUNTING BRACKET

Width	65mm
Height	119mm



61206-100 · SUBSTRUCTURE PROFILE

Width	27mm
Length	60mm



15100 · CONNECTOR




92011 · CLADDING INSTALLATION SCREW

Diameter	4.2mm
Height	22mm



93000 · MOUNTING SCREW

































Diameter	4.2mm
Height	13mm



















93004 · SCREW & WALL PLUG

Diameter	4.2mm
Height	45mm

HYBRID SYSTEM PROFILES and ACCESSORIES

		18002 · HYBRID 130/130 Width 130mm Height 6000mm Width 130mm			18003 · HYBRID 50/200 Height 200mm Length 6000mm Width 50mm
		18004 · HYBRID 50/130 Height 130mm Length 6000mm Width 50mm			18009 · HYBRID 100/100 Width 100mm Height 6000mm Width 100mm
		16001 · HYBRID 50/100 Height 100mm Length 6000mm Width 50mm			18001 · HYBRID 50/50 Width 50mm Length 6000mm Width 50mm
		16006 · SHUTTER LOUVER Height 74mm Length 6000mm Thickness 30mm			16007 · SHUTTER FRAME Width 64mm Length 6000mm Thickness 20mm
		18005 · HYBRID 20/80 Width 80mm Length 6000mm Thickness 20mm			18006 · HYBRID 20/40 Width 40mm Length 6000mm Thickness 20mm
		16002 · HYBRID 32/38 Width 32mm Length 6000mm Thickness 38mm			16005 · HYBRID 18/18 Width 18mm Length 6000mm Thickness 18mm
		18013 · BENCH BOARD Width 114mm Length 6000mm Thickness 34mm			12705 · HYBRID BEAM CAP Width 50mm Height 200mm Thickness 4mm
		12905 · HYBRID RAFTER CAP Width 50mm Height 130mm Thickness 4mm			12906 · HYBRID 50/100 CAP Width 50mm Height 130mm Length 100mm

HYBRID SYSTEM PROFILES and ACCESSORIES

		62903-904 · CONNECTOR 50 U Width 50mm Height 75mm Thickness 60mm			62803-800 · HIDDEN POST HOLDER 130 Width 130mm Width 130mm Height 200mm
		62910-100 · HIDDEN LOUVER CLIPS Width 22mm Width 22mm Height 14.5mm			16200 · ALUMINIUM RAIL GUIDE Width 2mm Length 8mm
		16100 · ALUMINIUM RAIL PP Width 20mm Height 6000mm Depth 19mm			16000 · ALUMINIUM RAIL Width 25mm Height 6000mm Depth 23mm
		62908 · CONNECTOR 130 U Width 56mm Height 133mm Depth 51mm			62909 · CONNECTOR 200 U Width 56mm Height 200mm Depth 51mm

PERGOLA- RAILING- FENCE- SIDING- HYBRID




301
HAZELNUT BROWN




303
TROPICAL BROWN



304
STONE GREY



305
ANTHRACITE



307
RED OAK



401
IVORY WHITE

WOOD GRAIN DECKING



301
HAZELNUT BROWN



303
TROPICAL BROWN



304
STONE GREY



305
ANTHRACITE




307
RED OAK




401
IVORY WHITE

GROOVED DECKING



301
HAZELNUT BROWN



303
TROPICAL BROWN



304
STONE GREY



305
ANTHRACITE



307
RED OAK



401
IVORY WHITE

PROJECT NOTES



PROJECT NOTES



**Turk
Global**
Wood lproved

Adres : Yenibosna Merkez Mahallesi 1. Asena Sokak No:23 D Blok Daire 66 Bahçelievler/İstanbul

Cep : + 90 535 021 51 09 / Tel : + 90 212 291 62 34 / Fax : + 90 212 291 62 35

web : www.turkglobal.net / E-Mail : info@turkglobal.net /turkglobal.tg@gmail.com