



GLOBAL CITY
TRAILER

"The way of the best!"

**PRODUCTS
& FEATURES**

COMPANY WELCOME MESSAGE

“

*To all our Valued Customers,
We glad to see you with us whatever we have worked together or not. Every single customer's request is a mission for us. Therefore we would like to state that we can produce more types of trailer than you see in this catalog.
On the other hand, it is not enough to just produce for us. We believe that we must produce the best. For this reason; we use best brands in our products, work together employees who have certificates related to the his departmen and care about customer feedback.*

”



**GLOBAL CITY
TRAILER**

"The way of the best!"

PRODUCTS

1 Tandem and Tridem Trailer

1.1 Tandem trailer

1.2 Tridem trailer

2 Types of chassis and carrier

2.1 Container carrier

2.2 Container carrier with tipper

2.3 Tipper chassis

2.4 Tanker chassis

3 Lowbed semi-trailer

4 Types of tipper

4.1 Tipper

4.2 Accordion tipper

4.3 Scrap tipper

4.4 Tipper with cover

4.5 Truck mounted dumper

5 Tanker

6 Curtain side trailer

7 Types of drop side trailer

7.1 Drop side trailer (light)

7.2 Quadruple additional drop side trailer

7.3 Vegetables drop side trailer

7.4 Drop side trailer (standart)

7.5 Scrap carrier drop side trailer

8 Special Products

TANDEM TRAILER

1.1



designed
& developed

BY GLOBAL CITY R&D TEAM



CHASSIS : MADE BY HIGH STRENGTH ST52 STEEL FORMED BY
AUTOMATIC SUBMERGED ARC WELDING

AXLES : EUROPEAN OR TURKISH BRANDS (2 PCS)

ELECTRICAL SYSTEM : COMPLIANT WITH EC76/756 REGULATIONS

WEIGHT(\pm 3%) : 5000 KG

TIRES : TIRE OPTIONS SUITABLE FOR 17,5" RIMS

BRAKES (EBS) : EBS 2S/2M COMPLIANT WITH EU STANDARTS

PAINTING : CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC
PAINT

LANDING GEARS : 650 MM MECHANICAL LANDING LEG.

ACCESSORIES : TOOL BOX / WHEEL CHOCK / PLASTIC FENDERS /
REFLECTORS

STANDARD FEATURES

TRIDEM TRAILER

1.2



designed
& developed

BY GLOBAL CITY R&D TEAM




- CHASSIS : MADE BY HIGH STRENGTH ST52 STEEL FORMED BY
AUTOMATIC SUBMERGED ARC WELDING
- AXLES : EUROPEAN OR TURKISH BRANDS (3 PCS)
- ELECTRICAL SYSTEM : COMPLIANT WITH EC76/756 REGULATIONS
- WEIGHT(\pm 3%) : 7500 KG
- TIRES : TIRE OPTIONS SUITABLE FOR 17,5" RIMS
- BRAKES (EBS) : EBS 2S/2M COMPLIANT WITH EU STANDARTS
- PAINTING : CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC
PAINT
- LANDING GEARS : 650 MM MECHANICAL LANDING LEG.
- ACCESSORIES : TOOL BOX / WHEEL CHOCK / PLASTIC FENDERS /
REFLECTORS

STANDARD FEATURES

CONTAINER CARRIER

2.1



designed
& developed

BY GLOBAL CITY R&D TEAM



STANDARD FEATURES

- CHASSIS** : HIGH STRENGTH STEEL , FORMED BY AUTOMATIC SUBMERGED ARC WELDING
- AXLES** : SAF,BPW OR TURKISH BRANDS
- ELECTRICAL SYSTEM** : SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
- TIRES** : 6 PIECES 385/65 R 22,5
- BRAKES (EBS)** : WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
- PAINTING** : CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
- KING PIN** : 2” KING PIN IN 94/20 EEC NORMS
- ACCESSORIES** : TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

CONTAINER CARRIER WITH TIPPER

2.2



designed
& developed
BY GLOBAL CITY R&D TEAM



STANDARD FEATURES

- CHASSIS** : HIGH STRENGTH STEEL , FORMED BY AUTOMATIC SUBMERGED ARC WELDING
- HYDRAULIC SYSTEM** : 5-STAGE TELESCOPIC CYLINDER MADE OF COLD-DRAWN STEEL, 130 LT OIL TANK AND HIGH PRESSURE RESISTANT HYDRAULIC HOSE
- AXLES** : SAF,BPW OR TURKISH BRANDS
- ELECTRICAL SYSTEM** : SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
- TIRES** : 6 PIECES 385/65 R 22,5
- BRAKES (EBS)** : WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARDS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
- PAINTING** : CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
- KING PIN** : 2" KING PIN IN 94/20 EEC NORMS
- ACCESSORIES** : TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

TIPPER CHASSIS

2.3



designed
& developed
BY GLOBAL CITY R&D TEAM



CHASSIS	: HIGH STRENGTH STEEL , MADE BY HIGH STRENGTH SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDING
AXLES	: SAF,BPW OR TURKISH BRANDS
ELECTRICAL SYSTEM	: SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
LENGTH	: 6700 - 8600 MM
WEIGHT(±%3)	: 4000 - 4300 KG
TIRES	: 6 PIECES 385/65 R 22,5
BRAKES (EBS)	: WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
PAINTING	: CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
LANDING GEARS	: 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS
HYDRAULIC SYSTEM	: 5-STAGE TELESCOPIC CYLINDER MADE OF COLD-DRAWN STEEL, 130 LT OIL TANK AND HIGH PRESSURE RESISTANT HYDRAULIC HOSE
KING PIN	: 2" KING PIN IN 94/20 EEC NORMS
ACCESSORIES	: TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

TANKER CHASSIS

2.4



designed
& developed
BY GLOBAL CITY R&D TEAM



STANDARD FEATURES

- CHASSIS : HIGH STRENGTH STEEL , FORMED BY AUTOMATIC SUBMERGED ARC WELDING
- AXLES : SAF,BPW OR TURKISH BRANDS
- ELECTRICAL SYSTEM : SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
- TIRES : 6 PIECES 385/65 R 22,5
- BRAKES (EBS) : WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
- PAINTING : CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
- KING PIN : 2" KING PIN IN 94/20 EEC NORMS
- ACCESSORIES : TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

LOWBED

3



designed & developed
BY GLOBAL CITY R&D TEAM



STANDARD FEATURES

- CHASSIS : HIGH STRENGTH STEEL , FORMED BY AUTOMATIC SUBMERGED ARC WELDING
- AXLES : SAF,BPW OR TURKISH BRANDS
- TOTAL LENGTH : 11000 - 13500 MM
- ELECTRICAL SYSTEM : SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
- TIRES : 6 PIECES 385/65 R 22,5 / 17,5 (FOR 3 AXLES)
- BRAKES (EBS) : WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARDS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
- PAINTING : CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
- KING PIN : 2" KING PIN IN 94/20 EEC NORMS OR 3,5" DOUBLE KING PIN
- ACCESSORIES : TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

TIPPER

4.1



designed
& developed

BY GLOBAL CITY R&D TEAM



UPPER STRUCTURE	: SIDES 3-4 MM, FLOOR 4-5 MM, FRONT WALL AND BACK COVER 3-4 MM MADE OF HARDOX (450 OR 500) HIGH STRENGTH STEEL
CAPACITY	: 20-32 M3
AXLES	: SAF,BPW OR TURKISH BRANDS
ELECTRICAL SYSTEM	: SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
LENGTH	: 6700 - 8000 MM
WEIGHT(±%3)	: 6500 - 7000 KG
TIRES	: 6 PIECES 385/65 R 22,5
BRAKES (EBS)	: WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
CHASSIS	: HIGH STRENGTH ST52 STEEL , MADE BY HIGH STRENGTH ST52 SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDING
PAINTING	: CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
LANDING GEARS	: 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS
HYDRAULIC SYSTEM	: 5-STAGE TELESCOPIC CYLINDER MADE OF COLD-DRAWN STEEL, 130 LT OIL TANK AND HIGH PRESSURE RESISTANT HYDRAULIC HOSE
KING PIN	: 2" KING PIN IN 94/20 EEC NORMS
ACCESSORIES	: TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

ACCORDION TIPPER

4.2



designed
& developed

BY GLOBAL CITY R&D TEAM



UPPER STRUCTURE : MADE OF HARDOX (450 OR 500) HIGH STRENGTH STEEL

CAPACITY : 50-85 M3

AXLES : SAF,BPW OR TURKISH BRANDS

ELECTRICAL SYSTEM : SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)

LENGTH : 6700 - 13600 MM

WEIGHT(\pm %3) : 6500 - 12000 KG

TIRES : 6 PIECES 385/65 R 22,5

BRAKES (EBS) : WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)

CHASSIS : HIGH STRENGTH ST52 STEEL , MADE BY HIGH STRENGTH ST52 SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDING

PAINTING : CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT

LANDING GEARS : 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS

HYDRAULIC SYSTEM : TELESCOPIC CYLINDER MADE OF COLD-DRAWN STEEL, 150 LT OIL TANK AND HIGH PRESSURE RESISTANT HYDRAULIC HOSE

KING PIN : 2" KING PIN IN 94/20 EEC NORMS

ACCESSORIES : TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

SCRAP TIPPER

4.3



designed
& developed

BY GLOBAL CITY R&D TEAM



UPPER STRUCTURE	: MADE OF HARDOX (450 OR 500) HIGH STRENGTH STEEL
CAPACITY	: 50-85 M3
AXLES	: SAF,BPW OR TURKISH BRANDS
ELECTRICAL SYSTEM	: SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
LENGTH	: 6700 - 13600 MM
WEIGHT(±%3)	: 6500 - 12000 KG
TIRES	: 6 PIECES 385/65 R 22,5
BRAKES (EBS)	: WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
CHASSIS	: HIGH STRENGTH STEEL , MADE BY HIGH STRENGTH SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDING
PAINTING	: CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
LANDING GEARS	: 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS
HYDRAULIC SYSTEM	: TELESCOPIC CYLINDER MADE OF COLD-DRAWN STEEL, 150 LT OIL TANK AND HIGH PRESSURE RESISTANT HYDRAULIC HOSE
KING PIN	: 2" KING PIN IN 94/20 EEC NORMS
ACCESSORIES	: TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

TIPPER WITH COVER

4.4



designed
& developed
BY GLOBAL CITY R&D TEAM



UPPER STRUCTURE	: MADE OF HIGH STRENGTH STEEL
AXLES	: SAF,BPW OR TURKISH BRANDS
ELECTRICAL SYSTEM	: SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
LENGTH	: 8200 - 9600 MM
WEIGHT(±%3)	: 6500 - 7000 KG
TIRES	: 6 PIECES 385/65 R 22,5
BRAKES (EBS)	: WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
CHASSIS	: HIGH STRENGTH STEEL , MADE BY HIGH STRENGTH SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDING
PAINTING	: CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
LANDING GEARS	: 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS
HYDRAULIC SYSTEM	: TELESCOPIC CYLINDER MADE OF COLD-DRAWN STEEL, 130 LT OIL TANK AND HIGH PRESSURE RESISTANT HYDRAULIC HOSE
KING PIN	: 2" KING PIN IN 94/20 EEC NORMS
ACCESSORIES	: TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

TRUCK MOUNTED DUMPER

4.5



designed & developed
BY GLOBAL CITY R&D TEAM



TANKER

5



designed
& developed
BY GLOBAL CITY R&D TEAM



STANDARD FEATURES

- UPPER STRUCTURE : MADE OF HIGH STRENGTH STEEL (4 MM) (*OPTIONAL:
MADE OF HIGH STRENGTH ALUMINUM (3 MM)
- AXLES : SAF,BPW OR TURKISH BRANDS
- ELECTRICAL SYSTEM : SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT
WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH
24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND
REVERSING HORN)
- TIRES : 6 PIECES 385/65 R 22,5
- BRAKES (EBS) : WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320
COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM
(WITH YELLOW METAL FITTINGS)
- CHASSIS : HIGH STRENGTH STEEL , MADE BY HIGH STRENGTH SLAB
FORMED BY AUTOMATIC SUBMERGED ARC WELDING
- PAINTING : CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC
PAINT
- LANDING GEARS : 25000 KG CARRYING CAPACITY, DOUBLE SPEED,
MECHANICAL LANDING GEARS
- KING PIN : 2" KING PIN IN 94/20 EEC NORMS
- ACCESSORIES : TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER
CABINET / WHELL CHOCKS/ MUD FLAPS

CURTAIN SIDE TRAILER

6



designed
& developed
BY GLOBAL CITY R&D TEAM



UPPER STRUCTURE	: MADE OF HIGH STRENGTH STEEL & ALUMINUM RAIL ROOF SYSTEM (HIGH STRENGTH CURTAIN)
AXLES	: SAF, BPW OR TURKISH BRANDS
ELECTRICAL SYSTEM	: SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
LENGTH	: 13600 MM
WEIGHT(±%3)	: 6500 - 7000 KG
TIRES	: 6 PIECES 385/65 R 22,5
BRAKES (EBS)	: WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
CHASSIS	: HIGH STRENGTH ST52 STEEL *30+4 SEQUENCE I-SECTION (80 NPI) . MADE BY ST52 SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDING
PAINTING	: CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
LANDING GEARS	: 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS
KING PIN	: 2" KING PIN IN 94/20 EEC NORMS
ACCESSORIES	: TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

DROP SIDE TRAILER (LIGHT)

7.1



designed
& developed
BY GLOBAL CITY R&D TEAM



UPPER STRUCTURE	: MADE OF HIGH STRENGTH STEEL (LIGHT COVER)
AXLES	: SAF,BPW OR TURKISH BRANDS
ELECTRICAL SYSTEM	: SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
LENGTH	: 13600 MM
WEIGHT(±%3)	: 6100 - 6300 KG
TIRES	: 6 PIECES 385/65 R 22,5
BRAKES (EBS)	: WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
CHASSIS	: HIGH STRENGTH ST52 STEEL *30+4 SEQUENCE I-SECTION (80 NPI) . MADE BY ST52 SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDING
PAINTING	: CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
LANDING GEARS	: 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS
KING PIN	: 2" KING PIN IN 94/20 EEC NORMS
ACCESSORIES	: TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

QUADRUPLE ADDITIONAL DROP SIDE TRAILER

7.2



designed
& developed

BY GLOBAL CITY R&D TEAM



UPPER STRUCTURE	: MADE OF HIGH STRENGTH STEEL WITH COVER AND QUADRUPLE ADDITIONAL
AXLES	: SAF,BPW OR TURKISH BRANDS
ELECTRICAL SYSTEM	: SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
LENGTH	: 13600 MM
WEIGHT(±%3)	: 6500 - 7000 KG
TIRES	: 6 PIECES 385/65 R 22,5
BRAKES (EBS)	: WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
CHASSIS	: HIGH STRENGTH ST52 STEEL *30+4 SEQUENCE I-SECTION (80 NPI) . MADE BY ST52 SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDING
PAINTING	: CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
LANDING GEARS	: 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS
KING PIN	: 2" KING PIN IN 94/20 EEC NORMS
ACCESSORIES	: TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

VEGETABLES DROP SIDE TRAILER

7.3



designed
& developed
BY GLOBAL CITY R&D TEAM



UPPER STRUCTURE	: MADE OF HIGH STRENGTH STEEL AND HIGH STRENGTH PLYWOOD (SEGEZHA OR SVEZA BRANDS) WITH COVER AND ADDITIONAL
AXLES	: SAF,BPW OR TURKISH BRANDS
ELECTRICAL SYSTEM	: SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
LENGTH	: 12000 - 13600 MM
WEIGHT(±%3)	: 6500 - 7000 KG
TIRES	: 6 PIECES 385/65 R 22,5
BRAKES (EBS)	: WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
CHASSIS	: HIGH STRENGTH ST52 STEEL *30+4 SEQUENCE I-SECTION (80 NPI) . MADE BY ST52 SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDİNG
PAINTING	: CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
LANDING GEARS	: 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS
KING PIN	: 2" KING PIN IN 94/20 EEC NORMS
ACCESSORIES	: TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

DROP SIDE TRAILER (STANDART)

7.4



designed & developed
BY GLOBAL CITY R&D TEAM



UPPER STRUCTURE	: MADE OF HIGH STRENGTH STEEL
AXLES	: SAF,BPW OR TURKISH BRANDS
ELECTRICAL SYSTEM	: SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
LENGTH	: 13600 MM
WEIGHT(±%3)	: 6400 - 6500 KG
TIRES	: 6 PIECES 385/65 R 22,5
BRAKES (EBS)	: WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
CHASSIS	: HIGH STRENGTH ST52 STEEL *30+4 SEQUENCE I-SECTION (80 NPI) . MADE BY ST52 SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDING
PAINTING	: CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
LANDING GEARS	: 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS
KING PIN	: 2" KING PIN IN 94/20 EEC NORMS
ACCESSORIES	: TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

SCRAP CARRIER DROP SIDE TRAILER

7.5



designed
& developed
BY GLOBAL CITY R&D TEAM



UPPER STRUCTURE	: COVERS AND COVERS PARTS MADE OF HIGH STRENGTH HARDOX STEEL. COLUMNS AND FLANK MADE OF HIGH STRENGTH DOMEX STEEL.
AXLES	: SAF,BPW OR TURKISH BRANDS
ELECTRICAL SYSTEM	: SABA, ASPOECK OR GLOBAL CITY BRANDS COMPLIANT WITH EC76/756 REGULATIONS 2*7 +15 PIN SOCKET, WITH 24V LIGHTS ON SIDES (INCLUDING REVERSING LIGHT AND REVERSING HORN)
LENGTH	: 13600 MM
WEIGHT(±%3)	: 6400 - 6500 KG
TIRES	: 6 PIECES 385/65 R 22,5
BRAKES (EBS)	: WABCO OR KNORR BRANDS EBS 2S/2M RSS71/320 COMPLIANT WITH EU STANDARTS DOUBLE LINE SYSTEM (WITH YELLOW METAL FITTINGS)
CHASSIS	: HIGH STRENGTH ST52 STEEL *30+4 SEQUENCE I-SECTION (80 NPI) . MADE BY ST52 SLAB (12MM) FORMED BY AUTOMATIC SUBMERGED ARC WELDING
PAINTING	: CRETE METAL SANDING, EPOXY PRIME COAT, ACRYLIC PAINT
LANDING GEARS	: 25000 KG CARRYING CAPACITY, DOUBLE SPEED, MECHANICAL LANDING GEARS
KING PIN	: 2" KING PIN IN 94/20 EEC NORMS
ACCESSORIES	: TOOL AND FOOD BOX / WATER TANK/ FIRE EXTINGUISHER CABINET / WHELL CHOCKS/ MUD FLAPS

STANDARD FEATURES

SPECIAL PRODUCTS

8



designed
& developed
BY GLOBAL CITY R&D TEAM




PRODUCTS DETAILS



PRODUCTS DETAILS





Graph 1.0 : Production quantities between 2020-2023

GRAPHS



Schema 1.0 : 8 out of 10 people preferred Global City again after their first order

*Graphs and schemas are recorded with official documents.

CERTIFICATES AND OFFICIAL

DOCUMENTS



DEPARTMENTS



Ahmet CAN

CEO

+90 532 487 1360
a.can@globalcitytrailer.com



Mustafa Uğur CAN

FOREIGN TRADE
MANAGER

+90 532 132 1871
m.can@globalcitytrailer.com



Mehmet BALOĞLU

GENERAL MANAGER

+90 535 234 4280
m.baloglu@globalcitytrailer.com



Mohammed ALI

FOREIGN TRADE SPECIALIST

+90 530 158 1762
export@globalcitytrailer.com



Merve KAZAN

FINANCE MANAGER

+90 535 036 6542
muhasebe@globalcitytrailer.com



Discover
the potential

GET IN TOUCH



m.can@globalcitytrailer.com



www.globalcitytreylar.com.tr



Fevzi Çakmak Mahallesi
10788. Cadde No:9/A
Karatay/Konya/Türkiye



@globalcitytreylar



REPUBLIC OF TURKEY
MINISTRY OF TRADE



GLOBAL CITY
TRAILER

"The way of the best!"